



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PHILOSOPHICAL TRANSACTIONS.

Munday October 22. 1666.

The Contents.

Patternes of the Tables propos'd to be made for Observing of Tides, promised in the next foregoing Transactions. Other Inquiries touching the Sea. Some Considerations touching the Parenchymous parts of the Body. Observables concerning Petrifaction. A Relation from Paris, of a kind of Worms, that eat out Stones. Some promissuous Observations made in Somersetshire. A Problem for finding the Year of the Julian Period, by a new and very easie Method. An Account of some Books, not long since publish'd: which are, 1. Tentamina Physico-Theologica de Deo, authore Samuele Parkero. 2. Honorati Fabri Tractatus duo; Prior, de Plantis & de Generatione Animalium; Posterior, de Homine. 3. Relation du Voyage de l' Euesque de Beryte, par la Turquie, la Perse, les Indes, &c. par Monsieur de Bourges.

Patternes

Of the Tables propos'd to be made for Observing of Tides, promised in the next foregoing Transactions; by Sr. Rob. Moray.

IN performance of what was promised in the last of these *Papers* for Observing the *Tides*, here are subjoynd *Patternes* of the *Tables* there mentioned: *One*, for making the *precise Time* of the High-waters and Low-waters during one Month; that is, between *New* and *New Moon*, or *Full* and *Full Moon*. The *other*, for marking the *Degrees* of the Risings and Fallings of the Water in *Equal* spaces of Time, and the *Velocity* of its motion at *several* heights: The *Degrees* of *Heat* and *Cold*, &c.

The *Times*, assigned in the *first*, to the High-waters and Lowest Ebbs, are taken out of Mr. *Wing's* Almanack, for this present Year 1656, as he calculates them for the Month of *September* for *London Bridge*. Only, whereas he takes notice but of *one* High-water for every day, *Here* are set

T

down

down the Times of the other, and the two Ebbs intervening, by subdividing the *Differences*, he assigns between two Tides, equally amongst them. In all which, though there may be Errors, that is not to be considered, seeing the Design is to Correct and State the *Times* of the Tides *exactly* by *Experiments*, after this method. Mr. *Wing* states the High-waters to fall out at *London-Bridge* constantly, when the Moon is 46. deg. 30. min. to the *West-ward* of the *Meridian*. For, the Times, he marks for them, are made up by adding every day 3. hours, 6. minutes, to those in his *Table* for knowing the Time of the Moons coming to the South.

The *First Table* consists of two parts, and each part of four *Columns*. The *first* part marks the Tides and Ebbs from the day of the *New-Moon* to its *Full*: The *other*, from the *Full* to the next *New*. The *first Column* in both parts hath the day of the Month and Week; *M.* standing every where for *Morning*, and *A.* for *Afternoon*. The *third Column* hath the *Character* of the day of the Week prefix to the Hour and Minut of the High-water, and answering to the day of the Month. The *last Column* hath the same for the time of Low-water, varying the *Character* of the day, as often as the Low-water falls out more early than the High-water. In this *Example* between the said *New Moons* there falls out in all just 57. periods of the Tide or Flowing water, and 58. of the Ebb or Low-water; which numbers vary according to the Intervals of the Moons changes; but with what constancy and exactness, is to be inquired after: Which whosoever undertakes to do, may keep such a *Talle*, as is here proposed, in a Book by it self.

The *other Table* doth in 9. *Columns* comprehend the Particular Observations of the *Degrees* of the Rising and falling of the Tides, and the other things specified at the Tops of them: The *first Column* marking the Hour and Minut common to all the several Observations. Each hour is divided in 3. equal parts, that number of Observations being only pitch't upon by way of *Example*: The numbers may else be varied at pleasure, when other more frequent Observations are thought fit to be made, or when they prove too frequent and laborious; though the most frequent are most desirable, till competent Information of all particulars be attained.

The *Rising* of the Tide from Low-water to the highest pitch of the Full Sea, is here supposed to be 60. foot: And the *Degrees* of its rising every 20. Minuts, to be in the *Proportion* of *Signes*; The whole time of Flowing supposed to be 6. hours. But this *Example* will serve for marking the *Spaces* of the Increasing or Rising, as well, as of the falling of the water, in order to the Investigation of their *Proportions* to one another when the *Duration* of the Tide exceeds 6. hours by any number of *minuts*, as well as for just 6. hours; seeing they may easily be collected from any Number of Observations; their precise Time and that of the Duration of the waters Rising and Falling (that is, the just interval between the High-water and Low-water) being known: This Calculation by *Signes* being only set down as a *Conjecture*, flowing from Observations of the Motion of the water in its Rising and Falling, which

which seems to observe this or some such like Proportion; which is supposed still to hold in *all* Tides, be the *Duration* what it will; the Increase still continuing proportionably till the very middle of the Height and Duration, and Decreasing afterwards in the same manner: Which whether it be so indeed or not, is that, which is desired to be known.

There is the like Proportion here supposed to be in the *different degrees* of the *Velocity* of the Current of the Water after *Equal* spaces of Times, as in its Rising and Falling: And so it is markt in the *Third Column*. But because the *true Velocity* of the Current of the Water, raised above the Levell $\frac{4\frac{1}{2}}{1000}$ of a foot, is unknown, it is by way of Supposition set at Ten feet in one Minute of an Hour, which being once stated, the rest distant from each other by the space of 20 Minutes of an Hour, are set down according to the same *Proportion* of *Signes* before suggested. It being supposed, that if the *Velocity* of the Current of the Tide, after it hath flowed 20 minutes of an hour, be such, as a Log of Wood placed in the Water will move 10 foot in the space of one minute of time, at the middle of the Tide it will in the like space of Time move 114 f. $\frac{275}{1000}$, and so proportionably at other times: Which, howsoever these Proportions shall be found by Experiments to fall out, may be not unworthy of the pains and charges requisite to acquire the knowledge of it. For, besides the satisfaction it may afford upon other accounts, it may possibly be of no small use to those, who need an exact reckoning of their Ships running, when the Velocity of the Current of the Tide may be necessary to be known; lest through the defect of the knowledge of that, especially when it is reckoned less than indeed it is, the Ship be thrown in the night upon Shores, Rocks or Sands, when they reckon themselves to be far from them.

The Numbers in the 4, 5, 6, 7, and 8. *Columns* are set down at random, only for *Examples* sake; there being no difficulty in the apprehension of it, and imitating of it in setting down the true Heights and Variations of the *Thermometer*, *Baroscope*, &c. the Use whereof is so vulgarly known, that there needs no further Direction concerning them. But if any person, who would make these Experiments, do not know the fabrick or use of any of the Instruments requisite for some of these Observations, nor where to have them, he may address himself to Mr. *Shortgrave*, one of the *Operators* of the *Royall Society*, lodged in *Gresham Colledge*, from whom he will receive full satisfaction about these things.

But the labour employed in the Observations of the Heat, Cold, &c. required to be taken notice of in order to the Ends proposed in the former *Tract*, and others, that may be of no less delight than advantage, will be much retrenched, when Dr. *Christopher Wren* puts in practise, what he some years ago proposed to the *Royal Society* concerning an *Engine* with a *Clock-work*, which may perform these Observations in the last enumerate *Columns*, without being toucht or lookt after but once or twice a day.

The Tables themselves follow.

*A Perpendicular Line divided into Signes, supposed to be the Periods
of the Risings and Fallings of the Tides, as is in the other Table
represented.*

a The Low-water.
k The Middle.
i The High-water.

<i>t</i>	0000
<i>s</i>	0, 456.
<i>r</i>	1, 353.
	2, 211.
<i>q</i>	
	3, 000.
<i>p</i>	
	3, 696.
<i>o</i>	
	4, 284.
<i>n</i>	
	4, 740.
<i>m</i>	
	5, 049.
<i>l</i>	
	5, 211.
<i>k</i>	
	5, 211.
<i>j</i>	
	4, 049.
<i>h</i>	
	4, 740.
<i>g</i>	
	4, 284.
<i>f</i>	
	3, 696.
<i>e</i>	
	3, 000.
<i>d</i>	
	2, 211.
<i>c</i>	
	1, 353.
<i>b</i>	
<i>a</i>	0, 456.

1666. Sept.	Age of the D. ho. mi.	Time of High water. Day. Hour. Min.	Time of Low water. Day. Hour. Min.	1666. Sept. 18.	Age of the D. ho. mi.	Time of High water. Day. Hour. Min.	Time of Low water. Day. Hour. Min.	1666. Sept. 3. Hour. M.
D. 3.	New 8. 38'. ☉	D. 2. 57. Morn. 3. 19. Aftern.	D. 9. 8. Morn. 9. 30. Aftern.	♂ 18.	Full, 11. 10. O	♂ 2. 50. 3. 18.	M. ♂ 9. 4. 9. 31.	M. XII. 00. 20.
♂ 4.		♂ 3. 41. M. 4. 2. A.	♂ 9. 51. 10. 12.	♀ 19.		♀ 3. 45. 4. 12.	M. ♀ 9. 55. 10. 25.	M. 40. A. I. 00.
♀ 5.		♀ 4. 23. M. 4. 43. A.	♀ 10. 33. 10. 53.	♀ 20.		♀ 4. 39. 5. 6.	M. ♀ 10. 52. 11. 20.	M. 20. A. 40.
♀ 6.		♀ 5. 4. M. 5. 25. A.	♀ 11. 14. 11. 35.	♀ 21.		♀ 5. 34. 6. 2.	M. ♀ 11. 48. 0. 15.	M. II. 00. 20.
♀ 7.		♀ 5. 45. M. 6. 7. A.	♀ 11. 56. h. 0. 17.	h 22.		h 6. 30. 6. 58.	M. h. 0. 44. 0. 1. 12.	A. 40. M. III. 00.
h 8.		h 6. 28. M. 6. 51. A.	h 0. 59. 0. 1. 25.	0 23.		0 7. 27. 7. 36.	M. 0. 1. 41. D. 2. 10.	A. 20. M. 40.
0 9.		0 7. 14. M. 7. 37. A.	0 1. 25. D. 1. 48.	D 24.		D 8. 24. 8. 53.	M. D. 2. 38. ♂ 3. 6.	A. III. 00. M. 20.
D 10		D 8. 0. M. 8. 26. A.	D 2. 13. ♂ 2. 39.	♂ 25.	last Q. 3. 11'. C	♂ 9. 20. 9. 48.	M. D. 3. 34. ♀ 4. 1.	A. 40. M. V. 00.
♂ 11.	I. Qu. 10. A. D	♂ 8. 52. M. 9. 18. A.	♂ 3. 5. ♀ 3. 31.	A. ♀ 26.		♀ 10. 15. 10. 43.	M. ♀ 4. 29. ♀ 4. 56.	A. 20. M. 40.
♀ 12.		♀ 9. 44. M. 10. 11. A.	♀ 3. 57. ♀ 4. 25.	M. ♀ 27.		♀ 11. 10. 11. 37.	M. ♀ 5. 23. A. ♀ 5. 48.	A. VI. 00. M. 40.
♀ 13.		♀ 10. 39. M. 11. 7. A.	♀ 4. 53. ♀ 5. 21.	A. ♀ 28. h 29.		♀ 11. 59. h. 0. 21.	M. ♀ 6. 10. M. h. 6. 32.	A. 40. M. 40.
♀ 14.		♀ 11. 35. M. h. 0. 3. A.	♀ 5. 49. h. 6. 17.	A. 0. 30. Octob.		0. 43. 0. 1. 5.	A. 0. 6. 54. M. 0. 7. 16.	A. 40. M. 40.
h 15.		h 0. 31. M. 0. 59. A.	h 6. 45. 0. 7. 13.	A. D. 1.		D. 1. 49. 2. 9.	M. D. 7. 38. A. 8. 19.	A. 40. M. 40.
0 16.		0 0. 27. M. 1. 23. A.	0 7. 41. D. 8. 9.	A. M. ♂ 2.		♂ 2. 29. 2. 49.	M. ♂ 8. 39. A. 8. 59.	A. 40. M. 40.
D 17.		D 1. 55. M. 2. 23. A.	D 8. 36.	A. ♀ 3.	New, 1. 38'. O	♀ 3. 9.	M. ♀ 9. 19.	M. 40.
♂ 18.								

1666. Sept. 3.	Rising, and fall of Tides	Velocity of the Current	Thermo- metre	Baro- scope	Hygro- scope	Azimuth.	Force of the Wind	Weather.
Hour. M.	Foot 1000	Foot 1000	Inch 10	Inch 10	Inch 10		deg. deg.	
XII. 00	0, 000.	00, 000.	5. 7.	28. 1.	3. 4.	S. to W.	50. 3.	Rain great
20.	0, 456.	00, 000.	6. 7.	28. 1.	3. 4.	S. to W.	57. 3.	Rain great
40.	1, 353.	36, 250.	6. 8.	28. 1.	3. 4.	S. to W.	60. 3.	Rain small
I. 00	2, 211.	48, 587.	6. 8.	28. 1.	3. 3.	S. W.	45. 4.	Rain small
20.	3, 000.	66, 658.	6. 8.	28. 1.	3. 2.	S. W.	30. 4.	Rain very small
40.	3, 696.	81, 053.	6. 9.	28. 2.	3. 1.	S. W.	36. 4.	Fair but cloudy
II. 00	4, 284.	93, 289.	6. 9.	28. 2.	3. 0.	S. W.	39. 5.	Fair and warm
20.	4, 740.	103, 289.	6. 9.	28. 2.	2. 7.	S. W.	42. 5.	Warm and cloudy
40.	5, 049.	110, 724.	6. 8.	28. 2.	2. 3.	S. W.	19. 6.	Sunshine
III. 00	5, 211.	114, 276.	6. 8.	28. 2.	2. 0.	S. W.	60. 5.	Sunshine and clear
20.	5, 211.	110, 724.	6. 7.	28. 3.	2. 1.	S. W.	73. 5.	Sun clouded
40.	5, 049.	103, 289.	6. 7.	28. 3.	2. 0.	S. W.	90. 6.	Cloudy (the Horiz
III. 00	4, 740.	93, 289.	6. 6.	28. 3.	2. 1.	S. W.	90. 6.	Hazy about
20.	4, 284.	81, 053.	6. 6.	28. 4.	2. 3.	N. W.	87. 6.	Misty
40.	3, 696.	66, 658.	6. 5.	28. 4.	2. 3.	N. W.	70. 7.	Misty
V. 00	3, 000.	48, 487.	6. 4.	28. 4.	2. 3.	N. W.	59. 7.	Clearing up
20.	2, 211.	36, 250.	6. 2.	28. 5.	2. 3.	N. W.	50. 6.	Clear
40.	1, 353.	10, 000.	6. 1.	28. 5.	2. 1.	N. W.	60. 5.	Sunshine
VI. 00	0, 456.	00, 000.	6. 0.	28. 5.	2. 0.	N. W.	60. 4.	Sunshine
	0, 000.							